





## 1. SPECIFICATION



AZ-2434S-PN

ITEM		UNITS	SPECIFICATIONS	CONDITIONS
01	Rated Voltage	V	12	
02	Operating Voltage	V	3 ~ 20	
03	Consumption Current	mA (Max)	8	Rated Voltage
04	Resonant Frequency	Hz	3400 ± 500	Rated Voltage
05	Response times	ms	≥ 100	
06	Sound pressure level	dB(A) Min.	93	Distance at 30 cm Rated Voltage / Resonant Frequency

REV NO.	REVISION NOTE	APPROVAL	DATE
---------	---------------	----------	------



RECOMMENDED PCB LAYOUT



RoHS

TITLE: <i>PIEZO BUZZER</i>		DRAWN: <b>Zack</b>	2020/01/10	SCALE: 2:1	SHEET: 1 of 1
PART NO. <i>AZ-2434S-PN</i>	3	DESIGNED: <i>R &amp; D OF AAT</i>		UNITS: <i>mm</i>	
		CHECKED:		TOLERANCE $\pm 0.3$	
DWG NO. <i>UGPM24DX3412P-93</i>		APPROVAL:		UNLESS OTHERWISE SPECIFIED:	
	REV	MATERIAL: <i>NORYL</i>		ONE PLACE DECIMAL $\pm$ ***	
				TWO PLACE DECIMAL $\pm$ ***	
				THREE PLACE DECIMAL $\pm$ ***	



ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

For more information, please contact AATC.

AATC

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

AATC:

AZ-2434S-PN