




1. SPECIFICATION

AZ-1440S-PV1(RoHS)


ITEM		UNITS	SPECIFICATIONS	CONDITIONS
01	Rated Voltage	V	12	VDC
02	Operating Voltage	V	3~ 16	
03	Rated Current	mA(Max)	12	Rated Voltage
04	Sound Output (Distance at 10cm)	dBA(Min)	85	Rated Voltage Rated Frequency
05	Rated Frequency	Hz	4000	Rated Voltage
06	Resonant Frequency	Hz	4000± 500	

REV NO.	REVISION NOTE	APPROVAL	DATE
---------	---------------	----------	------



12=2012
13=2013
14=2014

A= JAN
B= FEB
C= MAR
.
.
.
L= DEC



RoHS

TITLE: <i>PIEZO BUZZER INDICATOR</i>		DRAWN: Sunny 2013-9-26	SCALE: 3:1	SHEET: 1 : 1
PART NO. <i>AZ-1440S-PV1</i>	1	DESIGNED: <i>R & D OF AAT</i>	UNITS: <i>mm</i>	
DWG NO. <i>LPB1475-1-H0-12-4.0-7.6-R</i>		CHECKED:	TOLERANCE ± 0.5	
		APPROVAL:	UNLESS OTHERWISE SPECIFIED: ONE PLACE DECIMAL \pm *** TWO PLACE DECIMAL \pm *** THREE PLACE DECIMAL \pm ***	
	REV	MATERIAL: PPO		



ADVANCED ACOUSTIC TECHNOLOGY CORPORATION

For more information, please contact AATC.

AATC

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[AATC:](#)

[AZ-1440S-PV1](#)