









Part Number		Product Description	
USB4065		USB Type C Receptacle	
Drawing Date		Hybrid type, PCB Top Mount	
21th April 2016			
By	CC	Tolerances (Except as Noted)	Units:
Detail	USB4065	Length	Metric (mm)
Revision	B PCN	X. ± 0.50	± 2°
Date	04/09/17	X.X ± 0.30	
		X.XX ± 0.20	
		X.XXX ± 0.10	
		This drawing is confidential and copyright of Global Connector Technology, Ltd (GCT). This drawing must not be copied or disclosed without written consent. E & OE	
		Not to Scale	Drawn By AJO Sheet No. 2/3

GCT
www.gct.co



Bag: PE

Pcs / Reel	Reels / Carton	Total Quality
700	7	4,900 pcs

Part Number		Product Description				 www.gct.co			
USB4065		USB Type C Receptacle Hybrid type, PCB Top Mount							
Drawing Date									
21th April 2016									
By	CC	Tolerances (Except as Noted)		Units:	  3rd Angle Projection	This drawing is confidential and copyright of Global Connector Technology, Ltd (GCT). This drawing must not be copied or disclosed without written consent. E & OE	Not to Scale	Drawn By AJO	Sheet No. 3/3
Detail	USB4065 B PCN	Length	Angle	Metric (mm)					
Revision	B	$X, \pm 0.20$ $X.X \pm 0.15$ $X.XX \pm 0.10$ $X.XXX \pm 0.05$		$\pm 1^\circ$					
Date	04/09/17								

GCT
www.gct.co

© This drawing is confidential and copyright of Global Connector Technology, Ltd (GCT). This drawing must not be copied or disclosed without written consent. E & OE

Not to Scale	Drawn By AJO	Sheet No. 3/3
-----------------	-----------------	------------------

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Global Connector Technology \(GCT\):](#)

[USB4065-30-A](#)